





BASIC TANK CONFIGURATIONS- PLEASE CIRCLE DESIRED OPTION
CAPACITY: 814 GALLONS [31HL]


CONTINUE TO NEXT PAGE



1. TANK ONLY WEIGHT 6,853LB. [3108KG]



2. TANK WITH CONCRETE LEGS WEIGHT 8,650LB. [3903KG]



3. TANK WITH STAINLESS STEEL OR POWDER-COATED STEEL STAND WEIGHT 7,405LB. [3359KG]

(877) 283-2400

www.concretewinetanks.com



SONOMA CAST STONE
CONCRETE WINE TANKS

CONICAL 814G 31HL SPECS

ORDER#

DATE: 5/23/2023


DRAWN BY: CF

ORDER REVISION #

DWG REVISION #

SHEET # 2

TANK ACCESSORY CONFIGURATIONS- PLEASE CIRCLE DESIRED OPTIONS



- A** STD. 910mm MANWAY-
1. HINGE @ REAR
 2. HINGE @ RIGHT
 3. HINGE @ LEFT (STANDARD)
 4. HINGE @ FRONT
 5. SPECIFY HINGE LOCATION IN DEGREES, CLOCKWISE FROM REAR (0° PICTURED)

- B**
1. 2" T.C.

OPTIONAL LIFTING POINTS:
3/4" THREADED INSERTS (4)
E YES/ NO

- C** 2ND COLOR BANDS TOP & BOTTOM- Y / N
1. MAIN TANK COLOR:
 2. BAND COLOR:

- D** OPTIONAL PUMPOVER TUBE W/ 1 1/2" T.C. EA. END YES / NO
1. RIGHT SIDE
 2. LEFT SIDE
 3. REAR
 4. FRONT

F CUSTOMER LOGO: APPLIED / INCISED

G SAMPLE/ WASHING PORT: 2" T.C. FEMALE:

- RIGHT
- LEFT

H THERMOWELL PORT: 1 1/2" T.C.:

1. RIGHT
2. LEFT
3. REAR (SEE REAR OPTIONS)

I RACKING PORT: 2" T.C.:

1. RIGHT
2. LEFT

J DRAIN PORT: 2" T.C.:

1. RIGHT
2. LEFT

K INTERNAL SEED SCREEN
OVER DRAIN & RACKING PORTS- Y / N


L POMACE CHUTE

STD. POMACE PORT 432X555mm- HINGE SIDE OPPOSITE FITTINGS

STD. THREADED INSERT FOR TAG CLIP OR HOOK (OPPOSITE SITE FROM FITTINGS)

M GLYCOL COIL FTG., SIDES,
3/4" FPT- Y/ N

N REAR THERMOWELL
OPTIONS
(SELECT LOCATION(S):





CONICAL 938G 35HL SPECS

ORDER#

DATE: 5/15/2023

DRAWN BY: CF


ORDER REVISION #

DWG REVISION #


SHEET # 1

BASIC TANK CONFIGURATIONS- PLEASE CIRCLE DESIRED OPTION
CAPACITY 938 GALLONS/ 35HL


PAGE 1
CONTINUE TO NEXT PAGE



1. TANK ONLY WEIGHT 7,500 LB. [3402KG]



2. TANK WITH CONCRETE LEGS WEIGHT 9,592 LB. [4351KG]



3. TANK WITH STAINLESS STEEL OR POWDER-COATED STEEL STAND WEIGHT 8,052 LB. [3652KG]

(877) 283-2400

www.concretewinetanks.com



SONOMA CAST STONE
CONCRETE WINE TANKS

CONICAL 938G 35HL SPECS

ORDER#

DATE: 5/15/2023


DRAWN BY: CF

ORDER REVISION #

DWG REVISION #

SHEET # 2

TANK ACCESSORY CONFIGURATIONS- PLEASE CIRCLE DESIRED OPTIONS







BASIC TANK CONFIGURATIONS- PLEASE CIRCLE DESIRED OPTION

CAPACITY 1060/ 40HL


CONTINUE TO NEXT PAGE




1. SLOPED TANK BASE FOR SLOPED PAD
WEIGHT 7873 LB. [3571KG]



2. LEVEL TANK BASE
WEIGHT 8379 LB. [3801KG]



3. LEVEL TANK BASE WITH
POWDER-COATED STEEL STAND
WEIGHT 8929 LB. [4050KG]



3. LEVEL TANK BASE WITH 3-PART CONCRETE LEGS
WEIGHT 10063 LB. [4564KG]

(877) 283-2400

www.concretewinetanks.com



SONOMA CAST STONE
CONCRETE WINE TANKS

CONICAL 1060G 40HL SPECS

ORDER#

DATE: 6/23/2023


DRAWN BY: CF

ORDER REVISION #

DWG REVISION #

SHEET # 2

TANK ACCESSORY CONFIGURATIONS- PLEASE CIRCLE DESIRED OPTIONS



(877) 283-2400 www.concretewinetanks.com



SONOMA CAST STONE
CONCRETE WINE TANKS

ELLIPTICAL CONICAL 1002G 38HL

ORDER# 000

DATE: 5/15/2023


DRAWN BY: CF

ORDER REVISION # 0

DWG REVISION # 0

SHEET # 1

CAPACITY 1002 GALLONS/ 38HL



TOP

MAY OMIT CONC.
TOP & MANWAY

4 1/2"
[11.48cm]

4 1/2"
[11.46cm]

Ø 36 9/16"
[92.83cm]


5 7/16"
[13.81cm]



2"
[5.08cm]

4 1/2"
[11.43cm]

SECTION A-A
SCALE 1 : 36



FRONT

64 1/2"
[163.83cm]

13 5/8"
[34.67cm]

S.S. TOP MANWAY W/
2" / 50mm T.C.

SAMPLE/CLEANING
PORT- 2" T.C. WITH
SAMPLE VALVE

THERMOWELL
PORT- 1 1/2" T.C.

74 3/4"
[189.84cm]

RACKING PORT
2" / 50mm T.C.


DRAIN PORT
2" / 50mm T.C.

POMACE CHUTE

PORTS MAY BE ON EITHER SIDE
77"

[195.58cm]


STD. POMACE PORT 432X555MM-
HINGE SIDE OPPOSITE FITTINGS



RIGHT

75 1/4"
[191.14cm]

89 5/16"
[226.92cm]



REAR

WALL GLYCOL
SUPPLY/ RETURN
(ALL 3/4" FPT)

OPTIONAL 2-ZONE
GLYCOL @ WALLS
AND/ OR REAR
THERMOWELL

WALL GLYCOL
SUPPLY/ RETURN

FLOOR GLYCOL
SUPPLY/ RETURN

OPTIONAL
S.S. BASE